

WHAT IS CLAIMED IS:

- 1 1. A method comprising the steps of:
2 converting a read only file into an executable file; and
3 memory-mapping the converted file into memory.
- 1 2. The method as recited in claim 1, wherein the memory is virtual memory
2 associated with an application running in a processor.
- 1 3. The method as recited in claim 2, wherein the converted file is
2 memory-mapped from system storage by an operating system loader.
- 1 4. The method as recited in claim 3, wherein the converted file appears to the
2 operating system loader as a shared library file.
- 1 5. The method as recited in claim 3, wherein the read only file is a database
2 file.
- 1 6. The method as recited in claim 3, wherein the converting step further
2 comprises the step of wrapping the read only file with executable code.

1 7. A data processing system comprising:

2 circuitry for converting a read only file into an executable file; and

3 circuitry for memory-mapping the converted file into memory.

1 8. The data processing system as recited in claim 7, wherein the memory is

2 virtual memory associated with an application running in a processor.

1 9. The data processing system as recited in claim 7, wherein the converted file

2 is memory-mapped from system storage by an operating system loader.

1 10. The data processing system as recited in claim 9, wherein the converted file

2 appears to the operating system loader as a shared library file.

1 11. The data processing system as recited in claim 7, wherein the read only file

2 is a database file.

1 12. The data processing system as recited in claim 7, wherein the converting

2 circuitry further comprises circuitry for wrapping the read only file with executable

3 code.

08890643-070997

1 13. A computer program tool adaptable for storage in a storage medium,
2 comprising:

3 program code for converting a read only file into an executable file; and
4 program code for memory-mapping the converted file into memory.

1 14. The computer program tool as recited in claim 13, wherein the memory is
2 virtual memory associated with an application running in a processor.

1 15. The computer program tool as recited in claim 14, wherein the converted
2 file is memory-mapped from system storage by an operating system loader.



1 16. The computer program tool as recited in claim 15, wherein the converted
2 file appears to the operating system loader as a shared library file.

1 17. The computer program tool as recited in claim 15, wherein the read only
2 file is a database file.

1 18. The computer program tool as recited in claim 14, wherein the converting
2 program code further comprises program code for wrapping the read only file with
3 executable code.

1 19. The computer program tool as recited in claim 15, wherein the read only
2 file is an image file.

1 20. The computer program tool as recited in claim 15, wherein the read only
2 file is an audio file.

add
A' 
add B' 
add C' 